We claim

- A substrate whose surface comprises at least one
 hyperbranched polymer which has urethane groups and/or urea groups.
 - A substrate as claimed in claim 1 in the form of a particulate, linear, sheet-like, or three-dimensional structure.
 - 3. A substrate as claimed in claim 2 in the form of a linear or sheet-like textile.
- 15 4. A substrate as claimed in claim 3 in which the textile is composed of synthetic fibers.
 - 5. A substrate as claimed in claim 2 in which the stucture has the form of a plastic film or of a plastic molding.

20

10

- 6. A substrate as claimed in any of the preceding claims, where the hyperbranched polymer has a degree of branching (DB) of from 10 to 100%.
- 25 7. A substrate as claimed in any of the preceding claims, where the hyperbranched polymer on the substrate surface is obtainable by polymer-analogous reaction between a hyperbranched polymer which bears urethane groups and/or urea groups, and/or other functional groups which are capable of a condensation reaction or addition reaction and at least one compound selected from
 - a) compounds which bear at least one functional group complementary to those groups of the hyperbranched polymer which are capable of a condensation reaction or addition reaction, where the compounds also bear at least a hydrophilic group,
- b) compounds which bear at least one functional group

 complementary to those groups of the hyperbranched

 polymer which are capable of a condensation reaction or

 addition reaction, where the compounds also bear at least
 a hydrophobic group,

35

and mixtures of these.

- 8. The use of a hyperbranched polymer which has urethane groups and/or urea groups for modifying the surface properties of substrates.
- A process for modifying the surface properties of substrates, in which an effective amount of a hyperbranched polymer which bears urethane groups and/or urea groups is applied to the surface of the substrate.
 - 10. A process for modifying the surface properties of substrates, in which the material of which the substrate is composed is treated with an effective amount of a hyperbranched polymer which has urethane groups and/or urea groups, and the substrate is produced therefrom.

20

15

5

25

30

35

40